





**GALLO
ACOUSTICS**





**GALLO
ACOUSTICS**



PROFILE SPECIFICATIONS



GALLO ACOUSTICS
The Inox Building
Caldwellside, Lanark
ML11 7SR, UK
T: +44 1555 66 68 83
E: info@galloacoustics.com

GALLOACOUSTICS.COM

Profile 1




80hz to 20khz

86db

4 ohm

50W

Profile 2




75hz to 20khz

87db

8 ohm

70W

Profile 3




65hz to 20khz

89db

4 ohm

100W

Profile 4



59hz to 20khz

88db

4 ohm

120W

Profile 2.5




72hz to 20khz

86db

4 ohm

70W

Profile 3.5



64hz to 20khz

89db

4 ohm

100W

GALLO ACOUSTICS


SPECIFICATIONS



GALLO ACOUSTICS
The Inox Building
Caldwellside, Lanark
ML11 7SR, UK
T: +44 1555 66 68 83
E: info@galloacoustics.com

GALLOACOUSTICS.COM

Profile 1




80hz to 20khz

86db

4 ohm

50W

Profile 2




75hz to 20khz

87db

8 ohm

70W

Profile 3




65hz to 20khz

89db

4 ohm

100W

Profile 4



59hz to 20khz

88db

4 ohm

120W

Profile 2.5



72hz to 20khz

86db

4 ohm

70W

Profile 3.5



64hz to 20khz

89db

4 ohm

100W